

Marchant Dice Ltd

Marchant Dice Ltd				Diameter (mm)														
				6		8		10		12		16		20		25		30
Type		Description		£ gbp - \$ usd - € euro														
LM-		Standard Cylindrical Bushing (without lip seals / wipers)	N/A		N/A		2.95 5.31 4.33		3.06 5.51 4.50		3.78 6.80 5.56		4.52 8.14 6.60		6.39 11.50 9.27		7.58 13.64 11.07	
LM-UU		Standard Cylindrical Bushing (lip seals at both ends)	3.06 5.51 4.47		3.16 5.69 4.61		3.26 5.87 4.76		3.38 6.08 4.93		4.05 7.29 5.91		4.82 8.68 7.04		6.75 12.15 9.86		7.83 14.09 11.43	
LME-		Open Cylindrical Bush (without lip seals / wipers)	N/A		N/A		N/A		3.47 6.25 5.07		4.30 7.74 6.28		5.04 9.07 7.36		6.75 12.15 9.86		8.64 15.55 12.61	
LME-UU		Open Cylindrical Bush (lip seals at both ends)	N/A		N/A		N/A		3.62 6.52 5.29		4.37 7.87 6.38		5.22 9.40 7.62		6.97 12.55 10.18		8.64 15.55 12.61	
LM-UUOP		Open Cylindrical Bush (lip seals at both ends)	N/A		N/A		N/A		4.73 8.51 6.91		6.10 10.98 8.91		6.89 12.40 10.06		9.02 16.24 13.17		10.78 19.40 15.74	
LME-UUOP		Open Cylindrical Bush (lip seals at both ends)	N/A		N/A		N/A		N/A		6.10 10.98 8.91		6.91 12.44 10.09		9.00 16.20 13.14		11.02 19.94 16.09	
LM-UUAJ		Clearance - Adjustment Type - Cylindrical Bushing (lip seals at both ends)	N/A		N/A		3.83 6.89 5.59		3.94 7.09 5.75		5.20 9.36 7.59		5.71 10.28 8.34		7.81 14.06 11.40		9.11 16.40 13.30	
LME-UUAJ		Clearance - Adjustment Type - Cylindrical Bushing (lip seals at both ends)	N/A		N/A		N/A		4.07 7.33 5.94		5.20 9.36 7.59		6.30 11.34 9.20		7.97 14.35 11.64		10.17 18.31 14.85	
LM-LUU		Long - cylindrical Bushing (lip seals at both ends)	N/A		N/A		6.35 11.43 9.27		6.37 11.47 9.30		8.51 15.32 12.43		9.88 17.78 14.42		14.26 25.67 20.82		16.74 30.13 24.44	
LME-LUU		Long - cylindrical bushing (lip seals at both ends)	N/A		N/A		N/A		7.33 13.19 10.70		9.18 16.52 13.40		10.96 19.73 16.00		16.99 30.58 24.81		20.83 37.49 30.41	

Marchant Dice Ltd

Marchant Dice Ltd		Diameter (mm)											
		6	8	10	12	16	20	25	30				
Type	Description	£ gbp - \$ usd - € euro											
LMF-UU		Standard Circular Flange Style Bushing (lip seals at both ends)	N/A	N/A	6.80 11.34 9.20	7.05 11.79 9.56	7.79 13.12 10.64	9.50 16.20 13.14	12.79 22.12 17.94	16.14 28.15 22.83			
LMF-LUU		Long – Circular Flange Style Bushing (lip seals at both ends)	N/A	N/A	10.85 19.53 15.45	11.12 20.02 16.24	13.54 24.37 19.77	15.70 28.26 22.92	24.43 43.97 35.68	25.72 46.30 37.55			
LMEF-UU		Standard Circular Flange Style Bushing (lip seals at both ends)	N/A	N/A	N/A	6.53 11.75 9.53	7.29 13.12 10.64	8.98 16.16 13.11	12.31 22.16 17.97	15.66 28.19 22.86			
LMEF-LUU		Long – Circular Flange Style Bushing (lip seals at both ends)	N/A	N/A	N/A	11.12 20.02 16.24	13.54 24.37 19.77	15.70 28.26 22.92	22.52 40.54 32.88	25.70 46.26 37.52			
-													
SC-UU		Standard – Linear bushing case fitted with 1x LM-UU	N/A	N/A	7.43 13.37 10.85	8.12 14.18 11.50	9.22 16.60 13.49	10.33 18.60 15.08	14.71 26.48 21.48	17.10 30.78 24.97			
SC-WUU		Long – linear bushing case fitted with 2x LM-UU	N/A	12.90 22.80 18.70	13.50 24.30 19.71	14.58 26.24 21.29	17.21 30.98 25.13	19.33 34.79 28.22	27.83 50.09 40.63	35.04 57.67 46.78			
SC-VUU		Short – linear bushing case fitted with 1x LM-UU	N/A	N/A	7.16 11.99 9.72	7.52 12.64 10.25	8.58 14.54 11.80	9.45 16.11 13.07	12.85 22.23 18.03	15.99 25.18 20.43			
-													
SBR		Open – Linear bushing case fitted with 1x LM-UUOP	N/A	N/A	N/A	N/A	14.96 23.33 18.92	16.78 26.60 21.58	20.05 36.09 29.27	23.35 42.03 34.09			
TBR		Open Flanged – Linear bushing case fitted with 1x LM-UUOP	N/A	N/A	N/A	N/A	15.37 27.67 24.44	17.19 30.94 25.10	23.04 41.47 33.64	26.15 47.07 38.18			

Marchant Dice Ltd

Marchant Dice Ltd				Diameter (mm)														
				6		8		10		12		16		20		25		30
Type		Description		£ gbp - \$ usd - € euro														
TBR-A		Assembly – Fully Supported Round Rail. (Price does not include TBR housing and linear bearing)		N/A		N/A		N/A		N/A		5.12 9.06 7.42 /100mm (4")		5.86 10.37 8.49 /100mm (4")		6.70 11.85 9.71 /100mm (4")		8.40 14.86 12.18 /100mm (4")
SBR-A		Assembly – Fully Supported Round Rail. (Price does not include SBR housing and linear bearing)		N/A		N/A		N/A		N/A		5.12 9.06 7.42 /100mm (4")		5.86 10.37 8.49 /100mm (4")		6.70 11.85 9.71 /100mm (4")		8.40 14.86 12.18 /100mm (4")
SK		Round Rail - Shaft Supports		N/A		3.09 5.44 4.41		3.17 5.62 4.56		3.32 5.79 4.70		3.79 6.60 5.36		4.17 7.25 5.88		4.75 8.55 6.94		5.42 9.76 7.91